16 Raichur District —

(a) No rainfall during the week
(b) Nil
(c) Nil
(d) Nil
(e) Ryots are busily engaged in ploughing manuring and horrowing operations in most of the taluks
(f) Sufficient
(g) Available.
(h) Generally good

17 Bidar District —

(a) Slight rainfall in Humnabad taluks
(b) Nil.
(c) Nil
(d) Nil
(e) Ryots are busily engaged in ploughing operations in some Tqs
(f) Sufficient.
(g) Available.
(h) Generally good.

18 South Kanara District—

(a) Slight rainfall in Karkal, Buntwal and Mangalore taluks
(b) Sowing of seedlings of I Paddy Crop in Buntwal taluk is in progress
(c) Standing crops are fair
(d) Harvesting of III Crop Paddy is in progress in Buntwal and Puttur taluks
(e) Progress is fair in 4 taluks.
(f) Sufficient
(g) Available
(h) Generally good

19 Coorg District.—

(a) No rainfall during the week except in Mercara taluk where there is sufficient rainfall
(b) Nil
(c)
(d)
(e)
(f) Sufficient
(g) Available
(h) Generally good

28 M. MAHADEVIAH, For *Director*

OFFICE OF THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE

Consolidated Statement Showing the Monthly Weather and Crop Abstract for the Month of November 1962

Rainfall				Naye Paise Estimates of Out-turn of Important Crops					
Scanty 0 per cent to 40 per cent of normal	Deficient 41 per cent to 80 per cent of normal	Normal 81 per cent to 120 per cent of normal.	Excessive 121 per cent and over of normal	Paddy	Ragi	Jowar	Bajra	Sugarcane	Other Crops
1	2	3	4	5	6	7	8	9	10
			1. Bangalore District						
..	Deficient	...		70 (Avg of 3 Tks)	55 (Avg of 4 Tks)			75 (Avg of 2 Tks)	
			2 Kolar District.						
	Do			50	50			62	Groundnut 62
			3. Tumkur District						
...	Do								
			4 Mysore District.						
	Do			71 (Avg of 7 Tks)	57 (Avg of 7 Tks)	50 (Avg of 2 Tks.)		62 (Avg of 4 Tks)	Tobacco 31 (Avg of 2 Tks)
			5 Mandya District.						
	...	Normal	...	66	41	25		75	Horsegram 50
			6. Hassan District						
		Do		69	50	37		63	...
			7 Chickmagalur District.						
			Excessive	69	44	37		69	Coffee 75, Cardamom 75, Areca 62
			8 Shimoga District.						
				62	42	43		65	Cotton 43, Areca 50
			9 Chitradurga District.						
	Deficient			40 (Avg of 9 Tks)	51 (Avg of 7 Tks)	51 (Avg of 7 Tks)	43 (Avg of 5 Tks)		G Nut 32 (Avg. of 4 Tks
			10 Bellary District.						
...		Normal		62 (Avg of 4 Tks.)	50 (Avg of 2 Tks)	44 (Avg of 4 Tks)	44 (Avg of 4 Tks)	69	G Nut 50 (Avg of 3 Tks) Navane 53 (Avg of 2 Tks)
			11. Bijapur District.						
..		Do		31		49	28	37	G Nut 32 Cotton 37, Wheat 37.
			12 Belgaum District.						
		Do		50	37	44	41	57	G Nut 34 Chillies 50, Cotton 37

1	2	3	4	5	6	7	8	9	10
				13. Dharwar District					
Scanty				48	38	37	35	41	G. Nut 38, Wheat 37, Cotton 35, Chillie 43 Gram 37
				14. North Kanara District.					
Do		..	..	49	51	50	...	53	Coconut 50, Betelnut 47, Pepper 44
				15 Gulbarga District.					
		Normal		57		43	25	50	Tur 37
				16. Raichur District.					
	Deficient			50	37	37	37	69	Cotton 44, Groundnut 50.
				17. Bidar District.					
	..	Normal		-	.	50	25	50	.....
				18 South Kanara District.					
	Deficient			50			...	50	..
				19. Coorg District.					
		Normal		50			..		.....

220—8c 40

M. GANGARUDRAIAH, For *Director of Statistics.*

Statement Showing of Monthly Weather and Crop Report for November 1962.

Note —(a) Denotes Water Supply
(b) ,, Sowing/Transplantation
(c) ,, Standing Crops
(d) ,, Harvest
(e) ,, Fodder and Pasture.
(f) ,, Cattle
(g) ,, Rainfall
(h) ,, Damage to crops.
(i) ,, Remarks

1 Bangalore District —

(a) Sufficiennt
(b) Nil
(c) Generally fair
(d) Harvesting of Ragi had commenced in Doddaballapur and Nelamangala taluks and the same was completed in Channapatna taluk
(e) Available
(f) Generally healthy
(g) Deficient
(h) Nil
(i) Refers to 7 taluks

2 Kolar District —

(a) Sufficient
(b) Nil
(c) Generally Fair.
(d) Harvesting of Same, Paddy, Ragi and Groundnut was in progress
(e) Available
(f) Generally healthy.
(g) Deficient
(h) Nil

3 Tumkur District.—

(a) Sufficient
(b) Nil
(c) Standing crops such as Ragi Paddy and Horsegram were fair
(d) Harvesting of G nut and Ragi in all the taluks and Paddy in Tiptur taluk was in progress
(e) Available
(f) Good except for the prevalence of "Black Quarter Handi Rega and 'Parastic Diarrhoea" and other Cattle diseases" in some parts of Tumkur taluk
(g) Deficient
(h) Nil
(i) Refers to 8 taluks

4 Mysore District —

(a) Sufficient
(b) Nil
(c) Generally Fair
(d) Harvesting of Paddy had commenced in Nanjangud, Periyapatna and H D Kote taluks, G nut in Gundlupet taluk Ragi in Kollegal, Hunsur and Yelandur taluks was in progress
(e) Available
(f) Good except for the prevalence of "Black Quarter" in Gundlupet and Yelandur Taluks
(g) Deficient
(h) Nil
(i) Refers to 8 taluks

5 Mandya District —

(a) Sufficient
(b) Nil
(c) Generally Fair
(d) Sugarcane, Paddy and Ragi crops were being harvested in all the taluks.
(e) Available.
(f) Generally healthy
(g) ormal
(h) Nil

6 Hassan District —

(a) Sufficient
(b) Nil
(c) Generally Fair
(d) Ha vesting of Paddy, Coffee Cardamom Ragi Sesamum and Sugarcane was in progress in all the taluks except in Hassan Taluk
(e) Available
(f) Generally Healthy.
(g) Normal
(h) Nil
(i) Refers to 5 Taluks

7 Chickmagalur District —

(a) Sufficient
(b) Nil
(c) Standing crops were fair
(d) Nil
(e) Available.
(f) Good except for the prevalence of cattle disease in N R Pura taluk
(g) Excessive
(h) Nil

8 Shimoga District.—

(a) Sufficient
(b) Nil
(c) Standing crops were fair
(d) Harvesting of Paddy, Ragi, Jowar, Cotton and Areca in all the taluks was in progress
(e) Available
(f) Generally Healthy
(g) Normal
(h)

9 Chitradurga District —

(a) Sufficient
(b) Sowing of Bengalgram White Jowar and Cotton, in Molakalmuru taluk was in progress
(c) Standing crops were fair
(d) Ragi, Navane and Jola had been harvested in Chitradurga, Davanagere, Hosadurga, Molakalmuru and Harihar taluks picking of cotton was in progress in Holalkere taluk.
(e) Available
(f) Good except for the prevalence of Cattle disease at one village of Holalkere taluk
(g) Deficient
(h)

10 Bellary District —

(a) Sufficient
(b) Sowing of Hingari crops had been completed in Hadagalli and Harapanahalli taluks
(c) Standing crops were fair,
(d) Picking up of Cotton in Siruguppa and Sandur taluks Jowar and Paddy in Harapanahalli talukJowar Bajra, Korra, G nut and Paddy in Sandur, Hadagalli and Siruguppa taluks was in progress
(e) Available
(f) Generally Good
(g) Normal
(h) Cotton crop was reported to be affected by "Kempu Roga" in Sandur taluk
(i) Refers to 5 taluks

11 Bijapur District —

(a) Sufficient
(b) Sowing of Rabi Crops was completed in all the taluks
(c) Standing crops were fair
(d) Harvesting of Bajra G nut and K Jowar, was nearing completion in all the taluks
(e) Available
(f) Generally Good
(g) Normal
(h) Cotton crop was reported to have been affected by 'Jigi Pest" in Sindgi, Muddebihal and Bagewadi taluks

12 Belgaum District —

(a) Suffisient except in Raibagh and Ramdurg taluks where insufficiency was felt
(b) Nil
(c) Standing crops were fair
(d) Harvesting of Kharif crops was in progress in all the taluks
(e) Available except in some parts of Ramdurg taluk
(f) Generally Good
(g) Normal
(h) Kharif Jowar crop was reported to be affected by pest in Athani taluk

13 Dharwar District —

(a) Sufficient except in Kundgol taluk where insufficiency was felt
(b) Sowing of green gram and Bengal gram was in progress in Haveri taluk
(c) Fair except in Mundargi taluk
(d) Harvesting of G nut, Paddy and K Jowar was in progress througout the District
(e) Sufficient except in Mundargi taluk
(f) Generally Good
(g) Scanty
(h) Nil

14 North Kanara District —

(a) Sufficient
(b) Completed
(c) Generally Fair
(d) Harvesting of Kharif Paddy in some taluks was in progress
(e) Sufficient
(f) Generally Good
(g) Scanty
(h) Nil

15 Gulbarga District —

(a) Sufficient except in Afzalpur taluk where insufficiency was felt
(b) Completed
(c) Generally Fair
(d) Harvesting of G nut, and Bajra, was completed in Gulbarga, Shahpur, Afzalpur, Chincholi and Sedam taluks
(e) Sufficient
(f) Generelly Good
(g) Normal.
(h) Nil

16 Raichur District —

(a) Sufficient
(b) Nil
(c) Generally fair
(d) Harvesting of Kharif Crops was in progress throughout the District
(e) Sufficient
(f) Generally Good
(g) Deficient.
(h) Nil

17 Bidar District —

(a) Sufficient
(b) Rabi sowing had been completed in all the taluks except in Aurad taluk where the same was in progress
(c) Generally Fair
(d) Harvesting of Kharif crops was completed in Bidar and Aurad taluks and the same was in progress in Humnabad Taluk
(e) Sufficient
(f) Generally Good
(g) Normal
(h Nil

18 South Kanara District.—

(a) Sufficient
(b) Transplantation of Paddy was completed in all the taluks except in Udipi taluk whore the same was in progress.
(c) Generally Fair.
(d) Nil
(e) Sufficient
(f) Generally Good
(g) Defficient
(h) Nil

19 Coorg District —

(a) Sufficient.
(b) Nil
(c) Generally Fair,
(d) Harvesting of paddy, Coffee and Cardamom was in progress
(e) Sufficient
(f) Generally Good.
(g) Moderate
(h) Nil

M. GANGARUDRAIAH,
220(a)—sc 40 For *Director of Statistics*

MYSORE STATE DEPARTMENT OF PUBLIC HEALTH.

NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE FOR THE WEEK ENDED SATURDAY, 11TH MAY 1963.

The entire State remained free from Plauge during the week and also in the last week Comparative figures for the corresponding week during 1961 and 1962 were nil attacks nil deaths and nil attacks with nil deaths respectively.

A total of 39 attacks with 8 deaths from Smallpox was reported from the taluks of Siruguppa, Molakalmuru, Pandavapura, Malavalli Hiriyur and Sagar, *as against* 44 attacks with 12 deaths reported during the corresponding week of the previous year.

The entire State remained free from Cholera during the week, *as against* 49 attacks with 13 deaths reported during the corresponding week of the last year.

A total of 9 attacks with nil deaths from K F Disease was recorded from Shimoga District, *as against* 2 attacks with nil deaths reported during the corresponding week of the previous year

The State remained free from Yellow fever, relapsing fever Infectious Hepatitis and Influenza in epidemic form, *as against* nil attacks with nil deaths during the corresponding week of the previous year.

The total mortality for Bangalore Corporation amounted to 193 (105 in hospitals) for the week, *as against* 170 (67 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 10 7 (5 8 excluding hospital deaths) per mille of population (mid year estimated), *as against* 9 6 (5 8 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths 2 were due to Small pox, 6 due to other fevers, 18 due to Dysentery and Diarrhœa, 2 due to Consumption and 167 due to all other causes, *as against* 15 due to Dysentary and Diarrhœa, 2 due to Consumption and 153 due to all other causes, reported during the corresponding week of the previous year.

The total mortality for Mysore City amounted to 28 (17 in hospitals) for the week *as against* 35 (19 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 5 6 (3 0 excluding hospital deaths) per mille of population (mid-year estimated), *as against* 7 1 (3 3 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 4 were due to other fevers, 2 due to Dysentery and Diarrhœa,